

C5PBA LANE CERTIFICATION APPLICATION

Inspection Date: _____ Season 20____ - 20____
 Zone Association: _____ Province: _____
 Name of Bowling Centre: _____
 Address: _____ Postal Code: _____
 City/Town: _____ Telephone: (____) ____-____
 Proprietor: _____ Manager: _____
 Type of Centre: Commercial Private Club Military
 Floor Location: Basement Ground Second Other: _____
 Number of Lanes in Centre: _____ and are numbered from _____ to _____

APPROACHES

	YES	NO	IF NO, WHAT?
1. Approaches are: <input type="checkbox"/> Wood <input type="checkbox"/> Synthetic	<input type="checkbox"/>	<input type="checkbox"/>	_____
2. Are the beginning of the approaches a minimum of 15' (4.57m) in length from the foul line?	<input type="checkbox"/>	<input type="checkbox"/>	_____
3. Are there dowels/markings on the approach	<input type="checkbox"/>	<input type="checkbox"/>	_____
a) at the foul line?	<input type="checkbox"/>	<input type="checkbox"/>	_____
b) 9' – 10" (2.74m – 3.05m from the foul line)?	<input type="checkbox"/>	<input type="checkbox"/>	_____
c) 11' – 12' (3.35m – 3.66m) from the foul line?	<input type="checkbox"/>	<input type="checkbox"/>	_____
d) 14' – 15' (4.27m – 4.57m) from the foul line?	<input type="checkbox"/>	<input type="checkbox"/>	_____
4. Are the foul lines 3/8" – 1" (0.9cm – 2.5cm) in width	<input type="checkbox"/>	<input type="checkbox"/>	_____
5. Are automatic foul detection devices installed Manufacturer's Name: _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
6. Are all devices in working order?	<input type="checkbox"/>	<input type="checkbox"/>	_____
7. If foul detectors are not installed or operating, is there an area to station a Foul Line Judge?	<input type="checkbox"/>	<input type="checkbox"/>	_____

LANE PROTECTION DEVICES

1. Manufacturer: _____	Date Installed: _____
2. Is the lane protection device a minimum of 14' (4.27m) beyond the foul line?	<input type="checkbox"/> <input type="checkbox"/> _____
3. Is the lane protection device 7 1/2" – 9 1/2" (19.0cm-24.0cm) Above the lane surface?	<input type="checkbox"/> <input type="checkbox"/> _____

LANEBEDS

	YES	NO	IF NO, WHAT?
1. Lanebeds are: <input type="checkbox"/> Wood <input type="checkbox"/> Synthetic Date Installed: _____			
2. Does the resurfer's stamp/stencil appear on lane surface? Firm: _____ Date: _____ Recoating: _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
3. Verify the lanebed length (not less than 59' 11 1/2" [18.3 m] and not more than 60' 1/2" [18.43m] from the foul line to the centre of the 5 pin spot).	<input type="checkbox"/>	<input type="checkbox"/>	_____
4. Verify the lanebed width (not less than 41" [1.04m] and not more than 42" [1.07m]).	<input type="checkbox"/>	<input type="checkbox"/>	_____
5. Do dowels/markings appear 6' – 8' (1.83 m – 2.44m) beyond the foul line and conform to specifications?	<input type="checkbox"/>	<input type="checkbox"/>	_____
6. Do range finders (darts) appear 12' – 16' (3.66m – 4.88m) beyond the foul line and conform to specifications?	<input type="checkbox"/>	<input type="checkbox"/>	_____
7. For synthetic (panelized) surfaces, is the maximum drop between panels 0.015" and the maximum separation 0.050"?	<input type="checkbox"/>	<input type="checkbox"/>	_____

PINDECKS

1. Pindecks are: <input type="checkbox"/> Wood <input type="checkbox"/> Synthetic <input type="checkbox"/> Steel			
2. If synthetic or steel, is the maximum drop between lane and pindeck 0.015" and maximum separation 0.050"?	<input type="checkbox"/>	<input type="checkbox"/>	_____
3. Are pin spots 2 1/4" (5.7cm) in diameter and clearly marked?	<input type="checkbox"/>	<input type="checkbox"/>	_____
4. Are pin spots 17" or 18" (45.7cm) apart, centre to centre?	<input type="checkbox"/>	<input type="checkbox"/>	_____
5. Are the 2 pin spots 34" apart on the 17" set or 36" (91.4cm) apart on the 18" set up, centre to centre?	<input type="checkbox"/>	<input type="checkbox"/>	_____
6. Is the centre of the 2 pin spots 2 1/2" – 3" on the 18" set up or 4" on the 17" set up (6.3cm – 7.6cm) from channel edge of the pindeck?	<input type="checkbox"/>	<input type="checkbox"/>	_____
7. Are striker plates flush mounted and do they conform to sizes:			
a) 4 1/2" x 8" (11.4cm x 20.3cm) behind 5 pin spot?	<input type="checkbox"/>	<input type="checkbox"/>	_____
b) 3 1/4" x 8" (8.2cm x 20.3cm) behind 3 pin spot?	<input type="checkbox"/>	<input type="checkbox"/>	_____
8. Is the tail plank a maximum of 2" (5.08cm) in thickness?	<input type="checkbox"/>	<input type="checkbox"/>	_____

	YES	NO	IF NO, WHAT?
9. Is the channel moulding strip 7/8" x 3/4" (2.2cm x 1.9cm) at the point opposite the 5 pin spot and 1 1/2" x 3/4" (3.8cm x 1.9 cm) at the point opposite the 2 pin spot?	<input type="checkbox"/>	<input type="checkbox"/>	_____
10. Is the maximum width of the channels 9" – 9 1/2" (22.8cm – 24.1cm)?	<input type="checkbox"/>	<input type="checkbox"/>	_____
11. Are the channels flat bottomed, starting from/or within 15" (38.1cm) in front of the 5 pin spot?	<input type="checkbox"/>	<input type="checkbox"/>	_____
12. Are channels 2 3/4" – 3 1/2" (6.9cm – 8.8cm) in depth at a point opposite the 2 pin spot?	<input type="checkbox"/>	<input type="checkbox"/>	_____
13. Is the distance between kickbacks (wood to wood) 60" – 60 1/4" (1.52m – 1.53m)?	<input type="checkbox"/>	<input type="checkbox"/>	_____
14. Are kickback plates a maximum of 3/16" (4.76mm) in thickness?	<input type="checkbox"/>	<input type="checkbox"/>	_____
15. Do kickback boards measure between 17 " and 24" (45.7cm – 60.6cm) in height?	<input type="checkbox"/>	<input type="checkbox"/>	_____
16. Is the pit depth (lane surface to top of pit mat) in accordance with the Pit Depth Chart on page 12 of the C5PBA Specifications Manual?	<input type="checkbox"/>	<input type="checkbox"/>	_____
17. Is the length of the pit, from the end of the lanebed (before the tail plank) to the face of the rear cushion a minimum of 25" (63.5cm)?	<input type="checkbox"/>	<input type="checkbox"/>	_____
18. Is the end of the lanebed (after the tail plank) and the face of the pit curtain a minimum of 9" (22.8cm)?	<input type="checkbox"/>	<input type="checkbox"/>	_____
19. Are rear cushions and curtains a dark colour?	<input type="checkbox"/>	<input type="checkbox"/>	_____

OTHER SPECIFICATIONS

1. Do lanes have: automatic pinsetters manual pinsetters?
Manufacturer: _____ Model: _____
2. Are they: string free-fall machines?
3. If string machines:
 - a) are they equipped with shields? _____
 - b) are they equipped with LED light system? _____

YES NO IF NO, WHAT?

c) measure the time-lapse between when a pin is hit and when the shield/light system activates. TIME: _____ seconds. _____

d) by random sample, what is the length of string on any two headpins when fully reeled out? _____

4. Do pinsetting machines spot all the pins within tolerances? YES NO _____

5. Do house bowling balls meet specifications for:
Weight: 3lbs 4ozs to 3lbs 12ozs +/- 1/4 oz (1.474 to 1.699 kg)? YES NO _____

Diameter: 4 3/4" to 5" +/- 1/32" (12.1 to 12.7cm)? YES NO _____

Brand Name: _____ YES NO

6. Are bowling pins? plastic coated wood
 synthetic
Brand Name: _____

7. Type of pin-band being used on pins: _____ Brand name: _____

Inspection Passed: Yes No

Signatures:

Inspector: _____

Proprietor/Manager: _____

Date: _____

C5PBA LANE RE-CERTIFICATION APPLICATION

Inspection Date: _____ Season 20____ - 20____
 Zone Association: _____ Province: _____
 Name of Bowling Centre: _____
 Address: _____ Postal Code: _____
 City/Town: _____ Telephone: (____) ____-____
 Proprietor: _____ Manager: _____
 Type of Centre: Commercial Private Club Military
 Floor Location: Basement Ground Second Other: _____
 Number of Lanes in Centre: _____ and are numbered from _____ to _____

APPROACHES

	YES	NO	IF NO, WHAT?
1. Approaches are: <input type="checkbox"/> Wood <input type="checkbox"/> Synthetic	<input type="checkbox"/>	<input type="checkbox"/>	_____
2. Are automatic foul detection devices installed Manufacturer's Name: _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
3. Are all devices in working order?	<input type="checkbox"/>	<input type="checkbox"/>	_____
4. If foul detectors are not installed or operating, is there an area to station a Foul Line Judge?	<input type="checkbox"/>	<input type="checkbox"/>	_____

LANE PROTECTION DEVICES

1. Manufacturer: _____	Date Installed: _____
2. Is the lane protection device a minimum of 14' (4.27m) beyond the foul line?	<input type="checkbox"/> <input type="checkbox"/> _____
3. Is the lane protection device 7 1/2" – 9 1/2" (19.0cm-24.0cm) Above the lane surface?	<input type="checkbox"/> <input type="checkbox"/> _____

LANEBEDS

	YES	NO	IF NO, WHAT?
1. Lanebeds are: <input type="checkbox"/> Wood <input type="checkbox"/> Synthetic Date Installed: _____			
2. Does the resurfacer's stamp/stencil appear on lane surface? Firm: _____ Date: _____ Recoating: _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
3. For synthetic (panelized) surfaces, is the maximum drop between panels 0.015" and the maximum separation 0.050"?	<input type="checkbox"/>	<input type="checkbox"/>	_____

PINDECKS

	YES	NO	IF NO, WHAT?
1. Pindecks are: <input type="checkbox"/> Wood <input type="checkbox"/> Synthetic <input type="checkbox"/> Steel			
2. If synthetic or steel, is the maximum drop between lane and pindeck 0.015" and maximum separation 0.050"?	<input type="checkbox"/>	<input type="checkbox"/>	_____
3. Are pin spots 2 ¼" (5.7cm) in diameter and clearly marked?	<input type="checkbox"/>	<input type="checkbox"/>	_____
4. Is the tail plank a maximum of 2" (5.08cm) in thickness?	<input type="checkbox"/>	<input type="checkbox"/>	_____
5. Is the channel moulding strip intact?	<input type="checkbox"/>	<input type="checkbox"/>	_____
6. Are striker plates flush mounted and do they conform to sizes?	<input type="checkbox"/>	<input type="checkbox"/>	_____
7. Are channels 2 ¾" – 3 ½" (6.9cm – 8.8cm) in depth at a point opposite the 2 pin spot?	<input type="checkbox"/>	<input type="checkbox"/>	_____
8. Is the length of the pit, from the end of the lanebed (before the tail plank) to the face of the rear cushion a minimum of 25" (63.5cm)?	<input type="checkbox"/>	<input type="checkbox"/>	_____
9. Is the end of the lanebed (after the tail plank) and the face of the pit curtain a minimum of 9" (22.8cm)?	<input type="checkbox"/>	<input type="checkbox"/>	_____
10. Are rear cushions and curtains a dark colour?	<input type="checkbox"/>	<input type="checkbox"/>	_____

OTHER SPECIFICATIONS

1. Do lanes have: automatic pinsetters manual pinsetters?
 Manufacturer: _____ Model: _____

2. Are they: string free-fall machines?

3. If string machines:
 - a) are they equipped with shields? _____
 - b) are they equipped with LED light system? _____
 - c) measure the time-lapse between when a pin is hit and when the shield/light system activates. TIME: _____ seconds. _____
 - d) by random sample, what is the length of string on any two headpins when fully reeled out? _____.

4. Do pinsetting machines spot all the pins within tolerances? _____

5. Do house bowling balls meet specifications for:
Weight: 3lbs 4ozs to 3lbs 12ozs +/- ¼ oz (1.474 to 1.699 kg)? _____
Diameter: 4 ¾" to 5" +/- 1/32" (12.1 to 12.7cm)? _____

Brand Name: _____

6. Are bowling pins? plastic coated wood
 synthetic
Brand Name: _____

7. Type of pin-band being used on pins: Brand name: _____

Inspection Passed: Yes No

Signatures:

Inspector: _____

Proprietor/Manager: _____

Date: _____