C5PBA LANE CERTIFICATION APPLICATION

Inspe	ction Date:	Season 20 20			
Zone	Association:	Province:			
Name	e of Bowling Centre:				
Addre	2SS:	Post	:		
City/T	own:	Telephone: (_	() -		
Propr	ietor:	Manager:			
Туре	of Centre: Commercial Private Club	□ Military			
Floor	Location: Basement Ground	□ Second	□ Other:		
Numb	per of Lanes in Centre: and are numbered from	1 to			
	APPROACHES	6			
		YES	NO	IF NO, WHAT?	
1.	Approaches are: 🗆 Wood 🗆 Synthetic				
			_		
2.	Are the beginning of the approaches a minimum of 15' (4.57m) in length from the foul line?				
3.	Are there dowels/markings on the approach				
	a) at the foul line?				
	b) 9' – 10" (2.74m – 3.05m from the foul line?				
	c) 11' – 12' (3.35m – 3.66m) from the foul line?				
	d) 14' – 15' (4.27m – 4.57m) from the foul line?				
4.	Are the foul lines $3/8$ " – 1" (0.9cm – 2.5cm) in width				
ч. 5.	Are automatic foul detection devices installed				
э.	Manufacturer's Name:				
6.	Are all devices in working order?				
7.	If foul detectors are not installed or operating, is there an area to station a Foul Line Judge?				
	LANE PROTECTION D				
1.	Manufacturer:	Date Installe	ed:		
2.	Is the lane protection device a minimum of 14' (4.27m) beyond the foul line?				
3.	Is the lane protection device $7 \frac{1}{2} - 9 \frac{1}{2}$ (19.0cm-24.0) Above the lane surface?	<i>cm)</i> 🗆			

LANEBEDS

		YES	NO	IF NO, WHAT?
1.	Lanebeds are: □ Wood □ Synthetic Date Installed:			
2.	Does the resurfacer's stamp/stencil appear on lane surface? Firm: Date: Recoating:			
3.	Verify the lanebed length (not less than 59' 11 $\frac{1}{2}$ " [18.3 m] and not more than 60' $\frac{1}{2}$ " [18.43m] from the foul line to the centre of the 5 pin spot).			
4.	Verify the lanebed width (not less than 41" [1.04m] and not more than 42" [1.07m]).			
5.	Do dowels/markings appear 6' $- 8'$ (1.83 m $- 2.44m$) beyond the foul line and conform to specifications?			
6.	Do range finders (darts) appear $12' - 16'$ (3.66m - 4.88m) beyond the foul line and conform to specifications?			
7.	For synthetic (panelized) surfaces, is the maximum drop between panels 0.015" and the maximum separation 0.050"?			
	PINDECKS			
1.	Pindecks are: □ Wood □ Synthetic □ Steel			
2.	If synthetic or steel, is the maximum drop between lane and pindeck 0.015" and maximum separation 0.050"?			
3.	Are pin spots 2 ¹ /4" (5.7cm) in diameter and clearly marked?			
4.	Are pin spots 17" or 18" (45.7cm) apart, centre to centre?			
5.	Are the 2 pin spots 34" apart on the 17" set or 36" (91.4cm) apar on the 18" set up, centre to centre?	t □		
6.	Is the centre of the 2 pin spots $2\frac{1}{2}$ – 3" on the 18" set up or 4" of (6.3cm – 7.6cm) from channel edge of the pindeck?	on the ⁻	17" set ι □	qu
7.	Are striker plates flush mounted and do they conform to sizes: a) $4 \frac{1}{2}$ x 8" (11.4cm x 20.3cm) behind 5 pin spot?			
	b) 3 ¹ / ₄ " x 8" (8.2cm x 20.3cm) behind 3 pin spot?			

		YES	NO	IF NO, WHAT?			
9.	Is the channel moulding strip 7/8" x ³ /4" (2.2cm x 1.9cm) at the point opposite the 5 pin spot and 1 ¹ / ₂ " x ³ / ₄ " (3.8cm x 1.9 cm)						
	at the point opposite the 2 pin spot?						
4.0							
10.	Is the maximum width of the channels $9^{\circ} - 9^{1/2}$ (22.8cm –	_	_				
	24.1cm)?			<u> </u>			
11.	Are the channels flat bottomed, starting from/or within 15"						
	(38.1cm) in front of the 5 pin spot?			<u> </u>			
12.	Are channels $2\sqrt[3]{4}$ " – $3\sqrt[1]{2}$ " (6.9cm – 8.8cm) in depth at a point						
	opposite the 2 pin spot?						
13.	Is the distance between kickbacks (wood to wood) $60^{\circ} - 60^{1/4}$						
-	(1.52m – 1.53m)?						
14.	Are kickback plates a maximum of 3/16" (4.76mm) in thickness?						
15.	Do kickback boards measure between 17 " and 24 " (45.7cm –						
	60.6cm) in height?						
16.	Is the pit depth (lane surface to top of pit mat) in accordance						
	with the Pit Depth Chart on page 12 of the C5PBA						
	Specifications Manual?						
17.	Is the length of the pit, from the end of the lanebed (before the						
	tail plank) to the face of the rear cushion a minimum of 25"						
	(63.5cm)?			<u> </u>			
18.	Is the end of the lanebed (after the tail plank) and the face of						
	the pit curtain a minimum of 9" <i>(22.8cm)</i> ?						
19.	Are rear cushions and curtains a dark colour?	_					
19.	Are real cushions and curtains a dark colour?						
OTHER SPECIFICATIONS							
1.	Do lanes have:	incotto	re?				
1.							
	Manufacturer:Model:						
2.	Are they:						
3.	If string machines:						
	a) are they equipped with shields?						
	 b) measure the time-lapse between when a pin is hit and when the shield begins to descend. TIME: seconds. 						
		0.					

							YES	NO	IF NO, WHAT?
	c)	by random s headpins wh	ample, w en fully r	hat is the eeled out?	leng	th of string on any two 			
4.	Do pir	setting machi	nes spot	all the pin	s wit	thin tolerances?			
5.	Do house bowling balls meet specifications for:								
	Weigh	nt: 3lbs 4ozs t	o 3lbs 12	OZS +/- 1/4	oz (1.474 to 1.699 kg)?			
	Diame	eter: 4 ¾" to 5'	+/- 1/32"	(12.1 to	12.70	cm)?			
	Brand	Name:							
6.	Are bo	owling pins?		□ plastic	coat	ted wood			
			Brand	□ synthe Name:					
7.	Type of pin-band being used on pins: Brand name:		Brand name:						
Insne	ction P	assed:			No				
-		u33cu .			NO				
Signa	tures:	Inspector:						_	
		Proprietor/M	anager:_						