C5PBA LANE RE-CERTIFICATION APPLICATION

Inspection Date:		Season 20 20							
Zone Association:		Province:							
Name	of Bowling Centre:			· · · · · · · · · · · · · · · · · · ·					
Addres	ss:	Postal Code:							
City/Town:		Telephone: ()						
Proprie	etor:	Manager:			_				
Type of Centre: □ Commercial □ Private Club		□ Military							
		-	□ Oth	ner:					
Number of Lanes in Centre: and are numbered from									
	APPROACHES								
		YES	NO	IF NO, WHAT?					
1.	Approaches are: □ Wood □ Synthetic								
2.	Are automatic foul detection devices installed Manufacturer's Name:								
3.	Are all devices in working order?								
4.	If foul detectors are not installed or operating, is there an area to station a Foul Line Judge?								
	LANE PROTECTION D	EVICES							
,									
1.	Manufacturer:				-				
2.	Is the lane protection device a minimum of 14' (4.27m) beyond the foul line?								
3.	Is the lane protection device 7 $\frac{1}{2}$ " – 9 $\frac{1}{2}$ " (19.0cm-24.0c. Above the lane surface?	<i>m)</i> □							
LANEBEDS									
		YES	NO	IF NO, WHAT?					
1.	Lanebeds are: Wood Synthetic Date Installe	d:	.,.,.,						
2.	Does the resurfacer's stamp/stencil appear on lane surfacerim: Date: Recoating								
3.	For synthetic (panelized) surfaces, is the maximum drop panels 0.015" and the maximum separation 0.050"?	between							

	PINDECKS						
		YES	NO	IF NO, WHAT?			
1.	Pindecks are: □ Wood □ Synthetic □ Steel						
2.	If synthetic or steel, is the maximum drop between lane and pindeck 0.015" and maximum separation 0.050"?						
3.	Are pin spots 2 1/4" (5.7cm) in diameter and clearly marked?						
4. 5.	Is the tail plank a maximum of 2" (5.08cm) in thickness? Is the channel moulding strip intact?						
6.	Are striker plates flush mounted and do they conform to sizes?						
7.	Are channels 2 $\frac{3}{4}$ " $-3\frac{1}{2}$ " (6.9cm -8.8 cm) in depth at a point opposite the 2 pin spot?						
8.	Is the length of the pit, from the end of the lanebed (before the tail plank) to the face of the rear cushion a minimum of 25" (63.5cm)?						
9.	Is the end of the lanebed (after the tail plank) and the face of the pit curtain a minimum of 9" (22.8cm)?						
10.	Are rear cushions and curtains a dark colour?						
OTHER SPECIFICATIONS							
1.	Do lanes have: □ automatic pinsetters □ manual pi	nsetter	rs?				
	Manufacturer: Model:						
2.	Are they: □ string □ free-fall machines?						
3.	If string machines: a) are they equipped with shields? b) measure the time-lapse between when a pin is hit and when the shield begins to descend. TIME: seconds c) by random sample, what is the length of string on any two headpins when fully reeled out?						
4	Do pinsetting machines spot all the pins within tolerances?	П	П				

5.	Do house bowling balls meet specifications for:			
	Weight: 3lbs 4ozs to 3lbs 12ozs +/- 1/4 oz (1.474 to 1.699 kg)?			
	Diameter: 4 3/4" to 5' +/- 1/32" (12.1 to 12.7cm)?			
	Brand Name:			
6.	Are bowling pins? □ plastic coated wood □ synthetic Brand Name:	_		
7.	Type of pin-band being used on pins: Brand name:			_
Inspec	tion Passed: □ Yes □ No			
Signat	Inspector:			
	Proprietor/Manager:			
	Date:	_		